


HYDRAULIC GEAR PUMP

KH-01-03 SERIES

2+4 HOLES

SAE B 13 T BI-DIRECTIONAL

4 PORT GEAR PUMP






KH-01-03 SERIES GEAR PUMP CODE DESIGNATOR & SPECIFICATIONS

KH-01-03-060-04-2-2-B-2N

<p>Product</p> <ul style="list-style-type: none"> KH Hydraulic Pump KM Hydromotor <p>Type</p> <ul style="list-style-type: none"> 01 Gear Pump 02 Piston Pump 03 Bent-Axis Piston Pump <p>Series</p> <ul style="list-style-type: none"> 01 Gear Light Duty 02 Gear Medium Duty 03 Gear Heavy Duty 04 Gear Heavy+ Duty 05 6 Piston-Straight 06 9 Piston-Straight 07 6 Piston Bent-Axis 08 8 Piston-Straight 09 10 Piston-Straight 	<p>Displacement</p> <ul style="list-style-type: none"> 017 17cc (4.5 GPM) 022 22cc (5.5 GPM) 027 27cc (7 GPM) 033 33cc (8.5 GPM) 034 34cc (9 GPM) 043 43cc (11 GPM) 045 45cc (11.5 GPM) 051 51cc (13.5 GPM) 056 56cc (14.5 GPM) 060 60cc (15.5 GPM) 065 65cc (17 GPM) 073 73cc (19 GPM) 082 82cc (21.5 GPM) 090 90cc (23.5 GPM) 100 100cc (26 GPM) 110 110cc (29 GPM) 125 125cc (33 GPM) 133 133cc (35 GPM) 151 151cc (39.5 GPM) 182 182cc (48 GPM) 	<p>Flange Type</p> <ul style="list-style-type: none"> 01 DIN-ISO 5462 8T Spline 02 UNI 6T Spline 03 SAE-C 14T Spline 04 SAE-B 13 T Spline 05 SAE-B 15 T Spline 06 Conical Round Key 07 Round Key 	<p>Body</p> <ul style="list-style-type: none"> 2 Cast-Iron Housing - BSP 2A Aluminum Housing - BSP 2N Cast-Iron Housing - NPT <p>Sense of Rotation</p> <ul style="list-style-type: none"> R CW L CCW B Bi-directional <p>Tandem</p> <ul style="list-style-type: none"> 1 Tandem 2 No Tandem <p>Port Location</p> <ul style="list-style-type: none"> 1 3 Ports 2 4 Ports 3 2 Ports (Side) 4 2 Ports (Rear)
--	--	--	---






15,5 GPM Hydraulic Gear Pump






Code	Displacement	Max. Continuous Pressure	Speed Range	
			Rev/Min	
(BD)	(GPM)	%100 (PSI)	Min.	Max. Continuous
KH-01-03-060-04-2-2-B-2N	15,5	3625	300	1800

21,5 GPM Hydraulic Gear Pump






Code	Displacement	Max. Continuous Pressure	Speed Range	
			Rev/Min	
(BD)	(GPM)	%100 (PSI)	Min.	Max. Continuous
KH-01-03-082-04-2-2-B-2N	21,5	3480	300	1800

23,5 GPM Hydraulic Gear Pump






Code	Displacement	Max. Continuous Pressure	Speed Range	
			Rev/Min	
(BD)	(GPM)	%100 (PSI)	Min.	Max. Continuous
KH-01-03-090-04-2-2-B-2N	23,5	3335	300	1800

26 GPM Hydraulic Gear Pump



Code	Displacement	Max. Continuous Pressure	Speed Range	
			Rev/Min	
(BD)	(GPM)	%100 (PSI)	Min.	Max. Continuous
KH-01-03-100-04-2-2-B-2N	26	3190	300	1800


29 GPM Hydraulic Gear Pump



Code	Displacement	Max. Continuous Pressure	Speed Range	
			Rev/Min	
(BD)	(GPM)	%100 (PSI)	Min.	Max. Continuous
KH-01-03-110-04-2-2-B-2N	29	2973	300	1800

HYDRAULIC GEAR PUMP

Code	Displacement	Max. Continuous Pressure	Speed Range	
			Rev/Min	
(BD)	(GPM)	%100 (PSI)	Min.	Max. Continuous
KH-01-03-060-04-2-2-B-2N	15,5	3625	300	1800
KH-01-03-082-04-2-2-B-2N	21,5	3480	300	1800
KH-01-03-090-04-2-2-B-2N	23,5	3335	300	1800
KH-01-03-100-04-2-2-B-2N	26	3190	300	1800
KH-01-03-110-04-2-2-B-2N	29	2973	300	1800



2+4 HOLES SAE B 13 T BI-DIRECTIONAL
4 PORT GEAR PUMP

 www.toracompany.com
 sales@toracompany.com
 11417 IL 19, Franklin Park, IL 60131
 (630) 785-2410
 (331) 688-4947



toracompany



tora.company

